ROSE < CASE



BYYDURSIDE

A QUALITY PRODUCT FROM ROSE PLASTIC

ROSECASE

Protection starts with the right case. For over 70 years, rose plastic has been developing packaging solutions that do more than just transport products from A to B.

With ROSE CASE – a trusted brand of the rose plastic group – we offer high-quality plastic cases that are not only rugged, but smartly designed. For those who demand quality, precision, and reliable protection.




























The perfect mix of experience and innovation. With deep expertise in packaging and a global network of production sites and subsidiaries, we offer a fast, flexible service right where you need it.

Every job is different. Every requirement unique. But one thing never changes: our commitment to packaging solutions that think ahead, keep pace - and are ready when you are.





ALWAYS CLOSE. NO MATTER WHERE.

Since its founding in 1953, rose plastic has grown rapidly into a truly global company. Today, around 800 employees worldwide contribute to the success of our group - with 400 of them working at our headquarters in Hergensweiler, Germany.

With production facilities in Germany, the USA, Brazil, China, and India, as well as subsidiaries across Europe and Asia, we are present around the globe. This means our ROSE CASES are available exactly where our customers need them – whether in the UK, France, Spain, Italy, or South Korea. And thanks to our distribution partners in Poland, Japan, and Turkey, our service reaches even further.

LOCATIONS WORLDWIDE

EMPLOYEES

YEARS OF EXPERIENCE

CHOOSE YOUR CASE.





FLEXIBLE. ERGONOMIC. STYLISH.

RoseCase ErgoLine

DESIGN/ CONSTRUC- TION	Torsion-resistant case shells
HANDLE	Ergonomic handle, optionally with "soft-touch"
CLOSURES	90° swivel locks
IP67	-
COLOR COMBI- NATIONS	Individual color combinations possible
MATERIAL	Polypropylene (PP)
SUSTAIN- ABILITY	Available made from 100% recycled plastic (recyclate)
SIZES	19



ROBUST. PRACTICAL. DURABLE.

RoseCase ProTec

Torsion-resistant case shells
Ergonomic handle
180° swivel locks
-
Individual color combinations possible
Polypropylene (PP)
Available made from 0% recycled plastic (recyclate)

IP 67 & MIL SPECS. TOUGH. RELIABLE.

RoseCase ProSecure

Extra thick walled, shockproof						
Sturdy soft-grip folding handle						
Two-stage snap locks		• • •	• •	• •	• •	
Waterproof and dustproof	 					
-						
Polypropylene (PP)	 					
-						
44						



LIGHTWEIGHT. HANDY. COMPACT.

RoseCase RCS

Foldable handle

Lightweight

Click closure

Individual color combinations possible

Polypropylene (PP)

Available made from 100% recycled plastic (recyclate)

2



ORGANIZED. STRUCTURED. TRANSPARENT.

Rose Cassette

Lightweight and stable

Functional folding handle

180° swivel locks

Individual color combinations possible

Polystyrene (PS) / ABS


_

EXTRAS
FOR YOUR CASE

PAGE











COMFORTABLE TO CARRY

Ergonomically shaped handle for your comfortable handling – optionally available with "soft-touch" for your extra comfort

STANDS STABLE

Flat feet are integrated flush into the contour – ensuring that your case stands stably and securely on any surface

INDIVIDUALLY CONFIGURABLE

Transparent lids, variable depths and many color combinations for your maximum design freedom



_



PRODUCT RANGE

Article	Outer dimensions W x H x D (mm)	Inner dimensions W x H x D (mm)	Inner depth cover / base (mm)	Weight (kg)	Volume (liters)	Max. printing area W x H (mm)	Max. label area W x H (mm)	PU	Stock / standard colors*
RCEL 125 S	197x167x23	180x125x18	9.20 / 9.20	0.12	0.48	110x70	138x93	45	
RCEL 125 SM	197x167x35	180x125x30	9.20 / 21.86	0.14	0.80	110x70	138x93	30	
RCEL 125 M	197×167×47	180x125x42	21.86 / 21.86	0.15	1.12	110×70	138x93	22	
RCEL 155 S	244x207x29	225x155x23	11.65 / 11.65	0.21	0.94	135x80	172×116	30	
RCEL 155 SM	244x207x44	225x155x38	11.65 / 27.40	0.23	1.56	135x80	172x116	20	
RCEL 155 M	244x207x59	225x155x53	27.40 / 27.40	0.24	2.18	135x80	172x116	15	
RCEL 175 S	275x231x31	225x175x26	13.36 / 13.36	0.25	1.44	160x95	195x131	30	
RCEL 175 SM	275x231x48	255x175x43	13.36 / 30.89	0.29	2.29	160x95	195x131	20	
RCEL 175 M	275x231x65	225x175x60	30.89 / 30.89	0.33	3.14	160x95	195x131	15	
RCEL 195 S	307x260x35	284x195x30	14.96 / 14.96	0.34	1.94	180x110	217x146	40	
RCEL 195 SM	307x260x55	284x195x48	14.96 / 34.74	0.38	3.17	180x110	217x146	25	
RCEL 195 M	307x260x74	284x195x66	34.74 / 34.74	0.42	4.40	180x110	217x146	18	
RCEL 220 S	346x292x39	320x220x34	17.10 / 17.10	0.45	2.84	210x130	245x165	28	
RCEL 220 SM	346x292x62	320x220x56	17.10 / 39.38	0.51	4.61	210x130	245x165	18	
RCEL 220 M	346x292x84	320x220x78	39.38 / 39.38	0.54	6.38	210x130	245x165	13	
RCEL 250 M	393x331x95	365x250x90	44.97 / 44.97	0.76	9.46	240×150	279x188	8	
RCEL 290 M	456x384x110	421x290x100	52.36 / 52.36	1.04	14.86	270x180	324x218	5	
RCEL 290 ML	456x384x127	421x290x116	52.36 / 68.36	1.06	16.95	270x180	324x218	4	
RCEL 290 L	456x384x144	421x290x132	68.36 / 68.36	1.14	19.04	270x180	324x218	4	

*mostly available from stock











MATERIAL

Polypropylene (PP)
 or recycled material



ROSE CASE

INDIVIDUAL CUSTOM OPTIONS

- Standard foams (convoluted foam, flat foam, cubed foam)
- Customized foam inserts
- Multicolor printing
- Label
- Cases and closures also available in numerous customized colors or color combinations
- Transparent lid
- Fully textured case surface available
- Handle with "soft-touch"-finish (for all RCELs with the article description "M")
- 100% recycled plastic (recyclate)

ROBUST. PRACTICAL. DURABLE.

ROSE CASE PROTEC







EASY HANDLING

180° swiveling locks – providing long-lasting function and easy opening and closing for your case

STABLE AND SPACE-SAVING

Flat feet without protruding parts – your case is secure and stands stably with a professional appearance

DURABLE AND FUNCTIONAL

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

Internal, concealed hinges protect your case against wear and tear from external influences





?<

ROSE CASE PROTEC

PRODUCT RANGE

Article	Outer dimensions W x H x D (mm)	Inner dimensions W x H x D (mm)	Inner depth cover / base (mm)	Weight (kg)	Volume (liters)	Max. printing area W x H (mm)	Max. label area W x H (mm)	PU	Stock / standard colors*
RCPT 105 M	187x143x42	175x105x35	12.00 / 23.00	0.13	0.71	140x50	177x60	28	
RCPT 136 M	240x183x48	228x136x42	21.00 / 21.00	0.23	1.46	190x60	230x81	24	
RCPT 161 L	262x210x72	244x161x66	33.00 / 33.00	0.33	2.90	210x80	246x101	10	
RCPT 175 M	275x225x84	261x175x77	38.50 / 38.50	0.40	3.80	220x90	264x108	9	
RCPT 222 S	338x273x84	326x222x77	38.50 / 38.50	0.56	6.04	280x130	320x150	12	
RCPT 222 SM	338x273x123	326x222x116	38.50 / 78.10	0.65	9.05	280x130	320x150	8	
RCPT 222 M	338x273x163	326x222x156	78.10 / 78.10	0.75	12.06	280x130	320x150	6	
RCPT 237 M	395x295x107	382x237x100	50.00 / 50.00	0.78	9.74	280x140	381x164	5	
RCPT 296 M	456x357x140	434x296x132	66.00 / 66.00	1.34	18.28	360x190	437x224	4	

*mostly available from stock











MATERIAL

Polypropylene (PP)
 or recycled material




INDIVIDUAL CUSTOM OPTIONS

- Standard foams (convoluted foam, flat foam, cubed foam)
- Customized foam inserts
- Multicolor printing
- Label

- Cases and closures also available in numerous customized colors or color combinations
- Transparent lid
- Fully textured case surface available
- 100% recycled plastic (recyclate)







IP 67 -Waterproof & Dustproof

The seal in the lid provides your products with reliable protection against water, dust and moisture

OPTIMAL PROTECTION UNDER THE TOUGHEST CONDITIONS

Extremely shock-resistant, robust and stable thanks to extra-thick walls

EASY-TO-OPEN DOUBLE LOCK

Well-designed, two-stage locks combine easy access with high security



ROSE CASE PRO SECURE



PRODUCT RANGE

Article	Outer dimensions W x H x D (mm)	Inner dimensions W x H x D (mm)	Inner depth cover / base (mm)	Weight (kg)	Volume (liters)	Temperature min. / max. (°C)	PU	Color
RCPS 82	175x115x47	157x82x41	29 / 12	0.14	0.53	-10 / +80	12	
RCPS 140	230x175x53	212x140x47	33 / 14	0.32	1.39	-10 / +80	12	
RCPS 92	309x128x71.5	292x92x65	51.5 / 13.5	0.28	1.60	-10 / +80	15	
RCPS 195	350x230x59	316x195x53	37 / 16	0.52	3.26	-10 / +80	6	
RCPS 195 L	350x230x86	316x195x81	65 / 16	0.58	4.99	-10 / +80	4	
RCPS 125	223x172x102	200x125x90	68.5 / 21.5	0.56	2.01	-51 / +90	4	
RCPS 180	258x243x117.5	235x180x106	81 / 25	0.84	4.48	-30 / +90	4	
RCPS 180 L	258x243x167.5	235x180x156	131 / 25	1.00	6.59	-30 / +90	4	
RCPS 225	336x300x148	300x225x132	99 / 33	1.62	8.91	-30 / +90	4	
RCPS 270/1	414x345x129	380x270x115	79 / 36	1.86	11.79	-30 / +90	2	
RCPS 270/2	414x345x174	380x270x160	124 / 36	2.20	16.41	-30 / +90	2	
RCPS 230	456x290x318	400x230x260	212.5 / 47.5	2.44	22.00	-30 / +90	2	
RCPS 290/1	464x366x176	426x290x159	114 / 45	2.76	19.64	-30 / +90	2	
RCPS 335/1	502x415x141	465x335x125	85 / 40	2.60	19.47	-30 / +90	1	
RCPS 335/2	502x415x246	465x335x220	180 / 40	3.42	34.27	-30 / +90	1	
RCPS 335/2 TR	502x422x267	465x335x220	180 / 40	4.42	34.27	-30 / +90	1	
RCPS 350	555x428x211	500x350x194	136 / 58	3.90	33.95	-30 / +90	1	•
RCPS 350 TR	555x445x258	500x350x194	136 / 58	5.00	33.95	-30 / +90	1	•
RCPS 350 L	555x428x306	500x350x280	222 / 58	4.90	49.00	-30 / +90	1	
RCPS 350 L TR	555x428x306	500x350x280	222 / 58	5.92	49.00	-30 / +90	1	
RCPS 290/2	574x361x225	520x290x200	155 / 45	3.60	30.16	-30 / +90	1	
RCPS 290/2 TR	585x361x238	520x290x200	155 / 45	5.10	30.16	-30 / +90	1	

RCF3 290/2 1R	303X301X230	52082908200	155 / 45	5.10	0.16 -30 / +	90 1	
DCDC 02		DCDC 40F	nene	100		DCDC 270/4	
RCPS 82		RCPS 195	RCPS	180		RCPS 270/1	
RCPS 140		RCPS 195 L	RCPS	5 180 L		RCPS 270/2	
4						4	
RCPS 92		RCPS 125	RCPS	225		RCPS 230	
4		800 15	•			1	

FEATURES

CERTIFICATIONS

With Wheels		Eyelets for shoulder strap	Ctrl panel fixing pts (base)		Hinge and bracket slots (lid)	IP67 ●	ATA300	STANAG 4280	DEF-STAN 81-41	MIL STD 810 G	UN4H2
						•					
						•					
						•					
						•					
			•			•		•	•	•	
			•			•	•	•	•	•	
			•			•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•		•	•		•	•	•	
		•	•		•	•	•	•	•	•	•
		•	•	•	•	•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
		•	•		•	•	•	•	•	•	
•	•	•	•		•				•		
		•				•	•	•	•	•	
•	•	•				•	•	•	•	•	
						•	•	•	•	•	
•	•					•	•	•	•	•	



ROSE CASE PRO SECURE



PRODUCT RANGE

Article dimensions (dimensions W x H x D (mm) Inner depth cover / base (mm) Weight (kg) Volume (liters) Temperature min. / max. (°C) PU Color dimensions min. / max. (°C) RCPS 405 594x473x215 538x405x190 140 / 50 4.76 41.40 -30 / +90 1 ● RCPS 405 L 694x473x270 538x405x245 195 / 50 5.30 53.38 -30 / +90 1 ● RCPS 405 L TR 604x473x283 538x405x245 195 / 50 6.90 53.38 -30 / +90 1 ● RCPS 615 680x675x390 615x615x360 300 / 60 11.00 135.00 -30 / +90 1 ● RCPS 615 680x675x405 615x615x360 300 / 60 12.60 135.00 -30 / +90 1 ● RCPS 460 687x528x276 620x460x250 190 / 60 6.80 69.75 -30 / +90 1 ● RCPS 460 L TR 687x528x366 620x460x340 280 / 60 7.80 96.00 -30 / +90 1 ● RCPS 460 L TR									
RCPS 405 TR 604x473x225 538x405x190 140 / 50 6.40 41.40 -30 / +90 1	Article	dimensions	dimensions	cover / base	•		•	PU	Color
RCPS 405 L 594x473x270 538x405x245 195 / 50 5.30 53.38 -30 / +90 1	RCPS 405	594x473x215	538x405x190	140 / 50	4.76	41.40	-30 / +90	1	
RCPS 405 L TR 604x473x283 538x405x245 195 / 50 6.90 53.38 -30 / +90 1 RCPS 615 680x675x390 615x615x360 300 / 60 11.00 135.00 -30 / +90 1 RCPS 615 TR 680x675x405 615x615x360 300 / 60 12.60 135.00 -30 / +90 1 RCPS 460 687x528x276 620x460x250 190 / 60 6.80 69.75 -30 / +90 1 RCPS 460 TR 687x528x286 620x460x250 190 / 60 8.44 69.75 -30 / +90 1 RCPS 460 L 687x528x366 620x460x340 280 / 60 7.80 96.00 -30 / +90 1 RCPS 460 L TR 687x528x376 620x460x340 280 / 60 9.40 96.00 -30 / +90 1 RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 680 / 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680 / 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680 / 1178x780x364 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680 / 1178x780x564 1090x680x640 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680 / 1178x780x564 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 680 / 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 680 / 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L 1177x450x158 1100x370x130 285 / 45 10.90 130.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x130 285 / 45 10.90 130.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x130 285 / 45 10.90 130.00 -51 / +90 1	RCPS 405 TR	604x473x225	538x405x190	140 / 50	6.40	41.40	-30 / +90	1	
RCPS 615	RCPS 405 L	594x473x270	538x405x245	195 / 50	5.30	53.38	-30 / +90	1	
RCPS 615 TR 680x675x405 615x615x360 300 / 60 12.60 135.00 -30 / +90 1	RCPS 405 L TR	604x473x283	538x405x245	195 / 50	6.90	53.38	-30 / +90	1	
RCPS 460 687x528x276 620x460x250 190 / 60 6.80 69.75 -30 / +90 1 RCPS 460 TR 687x528x286 620x460x250 190 / 60 8.44 69.75 -30 / +90 1 RCPS 460 L 687x528x366 620x460x340 280 / 60 7.80 96.00 -30 / +90 1 RCPS 460 L TR 687x528x376 620x460x340 280 / 60 9.40 96.00 -30 / +90 1 RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 680 / 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680 / 2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680 / 3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 370 L 1177x450x348 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L 1177x450x348 1100x370x130 285 / 45 10.90 130.00 -51 / +90 1	RCPS 615	680x675x390	615x615x360	300 / 60	11.00	135.00	-30 / +90	1	
RCPS 460 TR 687x528x286 620x460x250 190 / 60 8.44 69.75 -30 / +90 1 RCPS 460 L 687x528x366 620x460x340 280 / 60 7.80 96.00 -30 / +90 1 RCPS 460 L TR 687x528x376 620x460x340 280 / 60 9.40 96.00 -30 / +90 1 RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 680 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680 880x660x443 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680 80 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680 680 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680 680 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x348 1100x370x340 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 615 TR	680x675x405	615x615x360	300 / 60	12.60	135.00	-30 / +90	1	
RCPS 460 L 687x528x366 620x460x340 280 / 60 7.80 96.00 -30 / +90 1 RCPS 460 L TR 687x528x376 620x460x340 280 / 60 9.40 96.00 -30 / +90 1 RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 460	687x528x276	620x460x250	190 / 60	6.80	69.75	-30 / +90	1	
RCPS 460 L TR 687x528x376 620x460x340 280 / 60 9.40 96.00 -30 / +90 1 RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 460 TR	687x528x286	620x460x250	190 / 60	8.44	69.75	-30 / +90	1	
RCPS 335 L 702x406x360 630x335x335 255 / 80 7.20 68.00 -51 / +90 1 RCPS 480 816x540x306 750x480x280 220 / 60 9.30 100.80 -30 / +90 1 RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x610 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x348 1100x370x330 285 / 45 10.90 130.00	RCPS 460 L	687x528x366	620x460x340	280 / 60	7.80	96.00	-30 / +90	1	
RCPS 480	RCPS 460 L TR	687x528x376	620x460x340	280 / 60	9.40	96.00	-30 / +90	1	
RCPS 480 L 816x540x426 750x480x400 340 / 60 10.56 144.00 -30 / +90 1 RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 335 L	702x406x360	630x335x335	255 / 80	7.20	68.00	-51 / +90	1	
RCPS 370 850x440x158 800x370x140 95 / 45 5.00 41.44 -30 / +90 1 RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 480	816x540x306	750x480x280	220 / 60	9.30	100.80	-30 / +90	1	
RCPS 600 880x660x483 820x600x450 380 / 70 14.78 221.40 -30 / +90 1 RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 480 L	816x540x426	750x480x400	340 / 60	10.56	144.00	-30 / +90	1	
RCPS 680/1 1178x780x330 1090x680x280 210 / 70 17.50 215.00 -51 / +90 1 RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 370	850x440x158	800x370x140	95 / 45	5.00	41.44	-30 / +90	1	
RCPS 680/2 RL 1178x780x447 1090x680x410 210 / 200 19.50 300.00 -51 / +90 1 RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 600	880x660x483	820x600x450	380 / 70	14.78	221.40	-30 / +90	1	
RCPS 680/3 1178x780x564 1090x680x510 440 / 70 23.00 395.00 -51 / +90 1 RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 680/1	1178x780x330	1090x680x280	210 / 70	17.50	215.00	-51 / +90	1	
RCPS 680/4 RL 1178x780x702 1090x680x640 440 / 200 24.80 480.00 -51 / +90 1 RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 680/2 RL	1178x780x447	1090x680x410	210 / 200	19.50	300.00	-51 / +90	1	
RCPS 370 L 1177x450x158 1100x370x140 95 / 45 7.80 56.98 -30 / +90 1 RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 680/3	1178x780x564	1090x680x510	440 / 70	23.00	395.00	-51 / +90	1	
RCPS 370 L/2 1177x450x348 1100x370x330 285 / 45 10.90 130.00 -51 / +90 1	RCPS 680/4 RL	1178x780x702	1090x680x640	440 / 200	24.80	480.00	-51 / +90	1	
	RCPS 370 L	1177x450x158	1100x370x140	95 / 45	7.80	56.98	-30 / +90	1	
RCPS 370 L/1 1420x440x168 1350x370x150 105 / 45 8.30 75.00 -51 / +90 1	RCPS 370 L/2	1177x450x348	1100x370x330	285 / 45	10.90	130.00	-51 / +90	1	
	RCPS 370 L/1	1420x440x168	1350x370x150	105 / 45	8.30	75.00	-51 / +90	1	

RCPS 370 L/2	1177x450x348	1100x370x330	285 / 45	10.90	130.00	-51 / +90	1	
RCPS 370 L/1	1420x440x168	1350x370x150	105 / 45	8.30	75.00	-51 / +90	1	
RCPS 405		RCPS 405 L-TR	RC	PS 460		RCPS 460 L	-TR	
				4				
RCPS 405 TR		RCPS 615	RCI	PS 460 TR		RCPS 335 L		
RCPS 405 L		RCPS 615 TR	RC	PS 460 L		RCPS 480	4	

FEATURES

CERTIFICATIONS

With Wheels	With ex- tendable handle	movable	Eyelets for shoulder strap	Ctrl panel fixing pts (base)	Hinge and bracket slots (base)	Hinge and bracket slots (lid)	IP67	ATA300	STANAG 4280	DEF-STAN 81-41	MIL STD 810 G	UN4H2
							•		•	•	•	•
•	•						•		•	•	•	•
							•	•	•	•	•	
•	•						•	•	•	•	•	
•							•		•	•	•	
•	•						•		•	•	•	
•							•	•	•	•	•	
•	•						•	•	•	•	•	
•							•		•	•	•	
•	•						•		•	•	•	
•					•	•	•		•	•	•	
•							•		•	•	•	
•							•	•	•	•	•	
							•	•	•	•	•	
•							•	•	•	•	•	
•							•	•	•	•	•	
•		•					•	•	•	•	•	
•							•	•	•	•	•	
•		•					•	•	•	•	•	
•							•	•	•	•	•	
•							•		•	•	•	
•							•		•	•	•	
•												



IP67. TOUGH & RELIABLE. MIL SPECS.



ROSE CASE PRO SECURE

Everything at your fingertips.


Padded dividers protect sensitive technology, while the tool insert keeps everything organized. With a shoulder strap and a document pouch, the Rose Case ProSecure becomes a mobile workstation.













HINGE/BRACKET SLOTS

TROLLEY

FUNCTION





MATERIAL

- Polypropylene (PP)
- Nylon

CERTIFICATIONS













INDIVIDUAL CUSTOM OPTIONS

- Standard foams (cubed foam / convoluted foam)

FIXING POINTS TO MOUNT

A CONTROL PANEL

- Customized foam inserts
- Multicolor printing
- Label

and special colors give the case mobility and a unique

look.

- Cases also in customized colors available
- Trolley

- Shoulder strap
- Document pouch
- Tool storage system
- Padded dividers
- and much more

PRODUCT RANGE



*mostly available from stock



INDIVIDUAL CUSTOM OPTIONS

- Customized foam inserts
- Multicolor printing
- Label
- Cases also available in numerous customized colors or color combinations
- Transparent lid
- Smooth case surface available for colored case shells
- 100% recycled plastic (recyclate)



Polypropylene (PP)
 or recycled material





LIGHTWEIGHT. HANDY. COMPACT.

ROSECASE



LIGHTWEIGHT, SPA STRONG PROTECTION AN


Extremely stable and easy to transport your products despite its low weight

SPACE-SAVING AND SECURE

The folding handle disappears seamlessly into the contour and provides additional protection against accidental opening of your case

FLEXIBLE STORAGE

Stands upright or on its side thanks to clever product design, enabling flexible use and storage options



ROSECASSETTE






?<

PRODUCT RANGE

Article	Outer dimensions WxHxD(mm)	Inner dimensions WxHxD(mm)	Inner depth cover / base (mm)	Weight (kg)	Volume (liters)	Max. printing area W x H (mm)	Max. label area W x H (mm)	PU	Stock / standard colors
CR 212/02	326x241x57	312x212x53	13.30 / 37.10	0.47	3	280x120	314x156	11	



INDIVIDUAL CUSTOM OPTIONS

- Numerous thermoformed inserts with various dividers
- Customized foam inserts
- Multicolor printing
- Label
- Cases and closures also available in numerous customized colors or color combinations

MATERIAL

- Base: Polystyrene (PS)
- Cover: ABS
- Hinge: Polyamide (PA)
- Closure: NYLON
- Handle: Polyethylene (PE)







EVERYTHING IN VIEW

The transparent lid saves time and makes organization easier – especially when accessing the contents frequently

DOUBLE PROTECTIVE FUNCTION

The handle can be swivelled 90° and folded away, and when unfolded provides additional protection against accidental opening

EASY TO STACK, SAFE TO STORE

Integrated stacking lugs enable stable stacking on top of each other






Get even more out of your ROSE CASE with foam, inserts, and accessories.

STANDARD FOAMS

Foams in different variants and qualities reliably protect your product – exactly according to your needs.



Absorbs impacts, breathable, elastic



Flexible and durable, suitable for a wide range of applications



Easily customizable with pre-scored cubes

THERMOFORMED INSERTS

Provide reliable protection for your products during


- Custom thermoformed inserts available on request

- Standard thermoformed inserts available for

CUSTOMIZED FOAM

Customize the interior of your ROSE CASE exactly how you need it – precision fit, premium quality, and a clean, professional look.

- Perfectly cut foam to your product (Waterjet cutting, CNC milling or die cutting)
- Colored or two-color foam available on requestOptional laser engraving of your logo or text



storage and transport.

- Resistant to dirt and moisture

RoseCassette

MAKE YOUR ROSE CASE UNIQUE With printing, labeling, or engraving, your case becomes truly unique.

PRINTING

A high-quality print turns your case into a brand ambassador.





COLORS & COLOR COMBINATIONS

Black, red, blue – or your own look.

Depending on the case model, you can mix and match the lid, base, and latches.

Special colors available on request.

LABEL

We manufacture your case, assemble it so it's ready to use, and include the labels.



SURFACES

Smooth or textured — showcase your branding perfectly with a case surface that matches your product.

RELIEF / 3D LOGO

Give your suitcase personality: a logo integrated into the suitcase shell stands out and is durable.





SOFT-TOUCH HANDLE

Everything under control thanks to "soft-touch": The TPE coating ensures a non-slip grip. Available for all Rose Case ErgoLine cases with the item description "M".



Less virgin plastic, more circular economy: many of our case series are also available made from 100% recycled material.



BY YOUR SIDE


STEP BY STEP

From the initial briefing and prototype to the final solution, we're with you at every step — making sure everything is just right in the end.

STEP 1

YOUR PRODUCT

Let's find the perfect solution together: just send us the data/specs for the products you want to package – we'll take care of the rest.






STP 2


WE DEVELOP THE RIGHT PACKAGING CONCEPT





The ideal case

Together, we will find the optimal case solution for your requirements.



Customized interior


Foam precisely tailored to your products.



The perfect look

Logo printing or labels in your brand design.





STEP 3

YOU DECIDE

If desired, we can create a sample, prototype, or 3D concept for you. We will only start production once you have given your approval.



STEP 4

YOUR PERFECT CASE SOLUTION





30

ANY QUESTIONS? GET IN TOUCH.



PRODUCTION LOCATIONS

GERMANY

rose plastic AG

Rupolzer Straße 53 88138 Hergensweiler/Lindau Tel. +49 8388 9200-0 info@rose-plastic.de

rose plastic medical packaging GmbH

Rupolzer Straße 30 88138 Hergensweiler/Lindau Tel. +49 8388 92345-0 info@rose-medipack.de

USA

rose plastic USA, L.L.L.P.

P.O. Box 698, California, PA 15419-0698 Tel. +1724 938 8530 info@rose-plastic.us

rose plastic medical packaging USA LLLP

P.O. Box 210, California, PA 15419 Tel. +1 724 938 8530 info@rose-medipack.us

CHINA

rose plastic (Kunshan) Co., Ltd.

Donghui Road No. 101, Zhoushi Town, Kunshan, Jiangsu Province Tel. +86 512 5766 7700 info@rose-plastic.cn

BRAZIL

WWW.ROSE-CASE.COM

rose plastic Brasil

Embalagens Plásticas Ltda.

Av. Garabed Gananiam 514, Jardim Topázio CEP 18087-340 Sorocaba SP Tel. +55 15 3238 1900 info@rose-plastic.com.br

INDIA

rose plastic India Pvt. Ltd.

Pargaon, Khandala, Satara - 412802 Maharashtra – India Tel. +91 21 6929 9151 info@rose-plastic.in

SUBSIDIARIES

UNITED KINGDOM

rose plastic UK Ltd.

Unit 4, Bessemer Way, Bessemer Business Park, Rotherham, S60 1EN Tel. +44 1709 7217 94 info@rose-plastic.co.uk

FRANCE

rose plastic France S.A.R.L.

Parc d'Activités du Rotey 73460 Notre Dame des Millières Tel. +33 479 3848 01 info@rose-plastic.fr

SPAIN

rose plastic Iberia, S.L.U.

P.A.E. Ibarrabarri, Pab. 15B 48940 Leioa (Vizcaya) Tel. + 34 94 480 66 61 info@rose-plastic.es

REPUBLIC OF KOREA

rose plastic Korea Co., Ltd.

Bucheon Techno Park 402-B01, B02, Pyung-Cheon Ro 655, Won-mi-gu, Bucheon City, Gyung-gi-do, ROK 14502 Tel. +82 32 324-8332 info@rose-plastic.kr

ITALY

rose plastic Italia S.r.I. Viale De Gasperi 103 20017 Rho (MI) Tel. +39 02 9390 9450 info@rose-plastic.it

SALES PARTNERS

JAPAN

Honda Plus Co.Ltd.

23-2 Kawaji Yato Shinshiro Pref. Aichi 441-13 Tel. +81 5362 31351 info.jp@rose-plastic.com

POLAND

Leniar International Sp. z o.o. Sp.K.


UI.Szlak 67 31-153 Kraków Tel. +48 12 6331 670 info.pl@rose-plastic.com

TURKEY

Tureks Endüstriyel Ürünler Pazarlama Ve Dış Ticaret A.Ş.

1471 Sokak No. 7 K:5 D:13 Kenet Sitesi 35220 Alsancak – Izmir Tel. +90 232 464 5220 info.tr@rose-plastic.com





11/2025